

800ST 110.0



Ultra-compact, fast and productive rider scrubber. It was designed to guarantee the manageability of a machine with an operator on foot, without giving up the power and convenience of a riding machine. This excellent size/performance relationship makes this machine the most highly recommended for cleaning midsize public or industrial areas. BOOST 110.0 conveniently passes through doors, between shelves and is easy to transport on vans or goods lifts.













BOOST 150.0



Very sturdy machine, designed for heavy-duty work in civil and industrial environments. It is characterised as a highly autonomous work instrument, both due to the duration of the batteries and the capacity of the tanks, also adapting to large sized areas. The motor power also allows it to work on ramps and surfaces inclined up to 10%. Boost 150.0 is also available in versions with disk brushes, for washing especially soiled surfaces, and with cylindrical brushes to wash and sweep in just one run.













800ST 300.0



Rider scrubber for large areas, sturdy, with enlarged tanks and working autonomy beyond the standard. The technical solutions adopted for this machine make it ideal to be used even in heavyduty conditions. Special care was taken in making it easy to service to guarantee economical operation and to avoid downtime during work. The Boost 300.0 is available in different cleaning widths, both with disc brushes andcylindrical brushes, in order to offer the most suitable solution forevery requirement.











BOOST COMBI



Dulevo Boost Combi iscombining the idea of sweeping and scrubbing at the same time. First of all the sweepingunit will pick up the debris and then the scrubbingunit will clean the floor. The design of the front located sweeping unity is based on the well known Dulevo sweeping and filtration technology to insure an effective sweeping result with full dust control. The heavy duty scrubbing deck, with three brush plates and constant floor pressure, ensures highest cleaning results even on heavily soiled surfaces.













TECHNICAL DATA		BOOST COMBI	BOOST 300.0			BOOST 150.0				BOOST 110.0	
		EH	300.12 BT	300.10 BTR	300.10 BT	150.9 BT2	150.8 BTR	150.8 BT2	150.7 BT2	110.7 BT2	110.6 BT1
Alimentation	V	Battery 36V	Battery 36V			Battery 48V				Battery 48V	
Scrubbing path	mm	1200	1200	1000		836		734	680	680	550
Squeegee path	mm	1350	1470	1300		10	1045 960		870	870	775
Cleaning performance	m²/h	7200	8400	7000		5000	45	500	4000	4000	3200
Solution tank capacity	L	220	300			150				105	
Recovery tank capacity	L	210	280			170				115	
Traction		Rear	Rear		Front				Front		
Brush	n°	3	3	2 cylindrical	3	2	2 cylindrical	2	2	2	1
Weight without Batterie	Kg	960	570			170				130	
Length	mm	2100	1850			1350				1186	
Width	mm	1200	1200 1000		650				580		
Height (at roll-bar)	mm	1420 (2130)	1570			1360				1220	
Sweeping width	mm	1450									
Waste hopper capacity	L	210									

Maximum dumping heightmm1350PM10 FiltrationPM 2,5 / PM10****



QUALITY, INNOVATION AND RESPECT FOR THE ENVIRONMENT. **Dulevo Certifications:**





Specifications are not binding for our company and subject to change at any time without notice

è

Dulevo International S.p.A. Via Giovannino Guareschi, 1 43012 Fontanellato (PR) Italia Tel: +39-0521-827711 Fax: +39-0521-827795

www.dulevo.com